

# Connaught Windows



## DECLARATION OF PERFORMANCE

**Connaught Windows Limited**

This Declaration of Performance is issued in accordance with, Regulation (EU) No. 305/2011 (as retained in UK law)  
EN 14351-1:2006 +A2:2016 — Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage.  
Dated: 21st January 2026 - Issue: 1

### 1. Unique identification code of the product-type:

Smarts Systems Aluminium Doorsets with Double Glazing including Single & Double Doors on an emergency escape route.

### 2. Intended use or uses:

"Doors for installation in external walls of buildings, providing resistance to wind, water, and air infiltration, daylight, and thermal/acoustic insulation."

### 3. Manufacturer:

Connaught Windows Limited  
498 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

### 4. Authorised representative:

N/A

### 5. System/s of AVCP

System 3

### 6a. Harmonised standard

EN 14351-1:2006 +A2:2016

Notified body: (8511)

ER Certification Limited has been notified by the United Kingdom Accreditation Service for the European Construction Products Regulation 305/2011 (EU).

### 6b. European assessment Document (if applicable):

N/A


7. Declared Performance

Essential characteristic (EN 14351-1 / UK Building Regs)	System/s of AVCP	Declared Performance	Harmonised Technical Specification
Resistance to wind load	3	NPD	EN 14351-1
Watertightness	3	NPD	EN 14351-1
Thermal transmittance Uw	3	≤1.4 W/m²K	EN ISO 10077
Air permeability	3	NPD	EN 14351-1
Acoustic insulation (Rw)	3	NPD	EN 14351-1
Load-bearing capacity of safety devices	3	Pass 350N when fitted	EN 14351-1
Ability to release / means of escape	1	<80N (EN 1125)	EN 14351-1
		<150N (EN179)	EN 14351-1
Dangerous substances	3	No dangerous substances released	EN 14351-1

B. Appropriate Technical Documentation and/or Specific Technical Documentation (if applicable):

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Date: 21st January 2026

Connaught Windows Limited.  
498 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

# Connaught Windows

## DECLARATION OF PERFORMANCE

**Connaught Windows Limited**

This Declaration of Performance is issued in accordance with, Regulation (EU) No. 305/2011 (as retained in UK law)  
EN 14351-1:2006 +A2:2016 — Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage.  
Dated: 21st January 2026 - Issue: 1

### 1. Unique identification code of the product-type:

Smarts Systems Aluminium Doorsets with Double Glazing including Single, Double, Patio & Bi-Folding Doors, not on an emergency escape route.

### 2. Intended use or uses:

"Doors for installation in external walls of buildings, providing resistance to wind, water, and air infiltration, daylight, and thermal/acoustic insulation."

### 3. Manufacturer:

Connaught Windows Limited  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

### 4. Authorised representative:

N/A

### 5. System/s of AVCP

System 3

### 6a. Harmonised standard

EN 14351-1:2006 +A2:2016

Notified body: (B511)

ER Certification Limited has been notified by the United Kingdom Accreditation Service for the European Construction Products Regulation 305/2011 (EU).

### 6b. European assessment Document (if applicable):

N/A


## 7. Declared Performance

Essential characteristic (EN 14351-1 / UK Building Regs)	System/s of AVCP	Declared Performance	Harmonised Technical Specification
Resistance to wind load	3	NPD	EN 14351-1
Watertightness	3	NPD	EN 14351-1
Thermal transmittance $U_w$	3	$\leq 1.4 \text{ W/m}^2\text{K}$	EN ISO 10077
Air permeability	3	NPD	EN 14351-1
Acoustic insulation ( $R_w$ )	3	NPD	EN 14351-1
Load-bearing capacity of safety devices	3	Pass 350N when fitted	EN 14351-1
Dangerous substances	3	No dangerous substances released	EN 14351-1

## 8. Appropriate Technical Documentation and/or Specific Technical Documentation (if applicable):

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Date: 21st January 2026

Connaught Windows Limited,  
496 Wallsdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

# Connaught Windows



## DECLARATION OF PERFORMANCE

Connaught Windows Limited

This Declaration of Performance is issued in accordance with Regulation (EU) No. 305/2011 (as retained in UK law)  
EN 14351-1:2006 +A2:2016 — Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage.  
Dated: 21st January 2026 - Issue: 1

### 1. Unique identification code of the product-type:

Smarts Systems Aluminium Windows with Double Glazing including Casement & Tilt & Turn

### 2. Intended use or uses:

"Windows for installation in external walls of buildings, providing resistance to wind, water, and air infiltration, daylight, and thermal/acoustic insulation."

### 3. Manufacturer:

Connaught Windows Limited  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

### 4. Authorised representative:

N/A

### 5. System/s of AVCP

System 3

### 6a. Harmonised standard

EN 14351-1:2006 +A2:2016

Notified body: (8511)

ER Certification Limited has been notified by the United Kingdom Accreditation Service for the European Construction Products Regulation 305/2011 (EU).

### 6b. European assessment Document (if applicable):

N/A


7. Declared Performance

Essential characteristic (EN 14351-1 / UK Building Regs)	System/s of AVCP	Declared Performance	Harmonised Technical Specification
Resistance to wind load	3	NPD	EN 14351-1
Watertightness	3	NPD	EN 14351-1
Thermal transmittance Uw	3	≤1.4 W/m²K	EN ISO 10077
Air permeability	3	NPD	EN 14351-1
Acoustic insulation (Rw)	3	NPD	EN 14351-1
Load-bearing capacity of safety devices	3	Pass 350N when fitted	EN 14351-1
Ability to release / means of escape (Part B)	1	NPD	EN 14351-1
Dangerous substances	3	No dangerous substances released	EN 14351-1

8. Appropriate Technical Documentation and/or Specific Technical Documentation (if applicable):

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Date: 21st January 2026

Connaught Windows Limited.  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

# Connaught Windows

## DECLARATION OF PERFORMANCE

### Connaught Windows Limited

This Declaration of Performance is issued in accordance with, Regulation (EU) No. 305/2011 (as retained in UK law)  
EN 14351-1:2006 +A2:2016 — Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage.  
Dated: 21st January 2026 - Issue: 1

#### 1. Unique identification code of the product-type:

Deceuninck PVCU Doorsets with Double Glazing including Single & Double Doors on an emergency escape route.

#### 2. Intended use or uses:

"Doors for installation in external walls of buildings, providing resistance to wind, water, and air infiltration, daylight, and thermal/acoustic insulation."

#### 3. Manufacturer:

Connaught Windows Limited  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

#### 4. Authorised representative:

N/A

#### 5. System/s of AVCP

System 3

#### 6a. Harmonised standard

EN 14351-1:2006 +A2:2016

Notified body: (8511)

ER Certification Limited has been notified by the United Kingdom Accreditation Service for the European Construction Products Regulation 305/2011 (EU).

#### 6b. European assessment Document (if applicable):

N/A


7. Declared Performance

Essential characteristic (EN 14351-1 / UK Building Regs)	System/s of AVCP	Declared Performance	Harmonised Technical Specification
Resistance to wind load	3	NPD	EN 14351-1
Watertightness	3	NPD	EN 14351-1
Thermal transmittance Uw	3	≤1.4 W/m²K	EN ISO 10077
Air permeability	3	NPD	EN 14351-1
Acoustic insulation (Rw)	3	NPD	EN 14351-1
Load-bearing capacity of safety devices	3	Pass 350N when fitted	EN 14351-1
Ability to release / means of escape	1	<80N (EN 1125)	EN 14351-1
		<150N (EN179)	EN 14351-1
Dangerous substances	3	No dangerous substances released	EN 14351-1

8. Appropriate Technical Documentation and/or Specific Technical Documentation (if applicable):

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

  
Date: 21st January 2026

Connaught Windows Limited.  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

# Connaught Windows

## DECLARATION OF PERFORMANCE

### Connaught Windows Limited

This Declaration of Performance is issued in accordance with, Regulation (EU) No. 305/2011 (as retained in UK law)  
EN 14351-1:2006 +A2:2016 — Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage.  
Dated: 21st January 2026 - Issue: 1

#### 1. Unique identification code of the product-type:

Deceuninck PVCU Doorsets with Double Glazing including Single, Double, Patio Doors, not on an emergency escape route.

#### 2. Intended use or uses:

"Doors for installation in external walls of buildings, providing resistance to wind, water, and air infiltration, daylight, and thermal/acoustic insulation."

#### 3. Manufacturer:

Connaught Windows Limited  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

#### 4. Authorised representative:

N/A

#### 5. System/s of AVCP

System 3

#### 6a. Harmonised standard

EN 14351-1:2006 +A2:2016

Notified body: (8511)

ER Certification Limited has been notified by the United Kingdom Accreditation Service for the European Construction Products Regulation 305/2011 (EU).

#### 6b. European assessment Document (if applicable):

N/A


7. Declared Performance

Essential characteristic (EN 14351-1 / UK Building Regs)	System/s of AVCP	Declared Performance	Harmonised Technical Specification
Resistance to wind load	3	NPD	EN 14351-1
Watertightness	3	NPD	EN 14351-1
Thermal transmittance $U_w$	3	$\leq 1.4 \text{ W/m}^2\text{K}$	EN ISO 10077
Air permeability	3	NPD	EN 14351-1
Acoustic insulation (Rw)	3	NPD	EN 14351-1
Load-bearing capacity of safety devices	3	Pass 350N when fitted	EN 14351-1
Dangerous substances	3	No dangerous substances released	EN 14351-1

8. Appropriate Technical Documentation and/or Specific Technical Documentation (if applicable):

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Date: 21st January 2026

Connaught Windows Limited.  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

# Connaught Windows **UK CA**

## DECLARATION OF PERFORMANCE

Connaught Windows Limited

This Declaration of Performance is issued in accordance with, Regulation (EU) No. 305/2011 (as retained in UK law)  
EN 14351-1:2006 +A2:2016 — Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage.  
Dated: 21st January 2026 - Issue: 1

### 1. Unique identification code of the product-type:

Deceuninck PVCU Windows with Double Glazing including Casement, Tilt & Turn, Sliding Sash

### 2. Intended use or uses:

"Windows for installation in external walls of buildings, providing resistance to wind, water, and air infiltration, daylight, and thermal/acoustic insulation."

### 3. Manufacturer:

Connaught Windows Limited  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT

### 4. Authorised representative:

N/A

### 5. System/s of AVCP

System 3

### 6a. Harmonised standard

EN 14351-1:2006 +A2:2016

Notified body: (8511)

ER Certification Limited has been notified by the United Kingdom Accreditation Service for the European Construction Products Regulation 305/2011 (EU).

### 6b. European assessment Document (if applicable):

N/A


## 7. Declared Performance

Essential characteristic (EN 14351-1 / UK Building Regs)	System/s of AVCP	Declared Performance	Harmonised Technical Specification
Resistance to wind load	3	NPD	EN 14351-1
Watertightness	3	NPD	EN 14351-1
Thermal transmittance $U_w$	3	$\leq 1.4 \text{ W/m}^2\text{K}$	EN ISO 10077
Air permeability	3	NPD	EN 14351-1
Acoustic insulation ( $R_w$ )	3	NPD	EN 14351-1
Load-bearing capacity of safety devices	3	Pass 350N when fitted	EN 14351-1
Ability to release / means of escape (Part B)	1	NPD	EN 14351-1
Dangerous substances	3	No dangerous substances released	EN 14351-1

## 8. Appropriate Technical Documentation and/or Specific Technical Documentation (if applicable):

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Date: 21st January 2026

Connaught Windows Limited.  
496 Wallisdown Road,  
Bournemouth,  
Dorset,  
BH11 8PT